


Bayfield County Forestry & Parks Department

Forester: Neitzel			Compartment: 66	Stand: 18	Tract Number: 45-21
Twp: 50N, 49N	Range: 5W	Sec: 35 and 2	Township: Bayview	Contract Number:	
Topography: Moderate Slopes			Reforestation Code: N/A	Soil: Silt Loam and Sand	Acres: 46

Estimated Volumes				*Approx. 95% Jack Pine and 5% Jack Pine
Species	Whole Tree (Tons)	4" Roundwood (Cords)	Sawlogs (MBF)	** Average Diameter is 14"
Red Pine**	1043	804*		***Average Diameter is 13"
White Pine***	408	314		
				Special Restrictions:
				>Harvested pine must be hauled within 3 weeks between May 1st and August 31st.
				>35% Frozen or Dry Harvest Only



TRACT 45-21 – HARVEST REQUIREMENTS

The following terms and conditions supplement those provided in the Bayfield County Timber Sale Contract.

A. PRESCRIPTION:

1. Harvest unit has a thinning prescription with an estimated average residual basal area of 100 ft².

B. HARVEST REQUIREMENTS:

1. Harvest all orange marked trees.

C. OPERATIONAL REQUIREMENTS AND SEASONAL RESTRICTIONS:

1. Sale boundaries consist of roads, trails and timber type changes to aspen, oak, red maple or unmarked white pine.
2. On a portion of the southern unit, approximately 35% of the total acreage of the sale, sale operations may only occur when the ground is frozen or in exceptionally dry conditions, as determined by the county. This area is designated on the map.
3. If harvest will utilize the whole tree, 1 in 10 tops must be left scattered throughout the sale.
4. Harvested pine cannot be kept on the Bayfield County Forest for more than three weeks from May 1st to August 31st.

D. ACCESS AND ROADS:

1. This contract requires County authorization for all road/landing construction and places a number of other requirements on road construction and closure.
2. Some road improvements will be needed to access the southern unit.
3. Decking of wood along town roads will not be allowed without permission from Bayfield County.

E. OTHER:

1. Xcel Energy will be installing a temporary bypass powerline adjacent Little Sioux Road, starting in spring 2022 and to be removed by the end of June 2023. All trees 2" in diameter and larger within 10 to 15' of the road and edge of the bypass line corridor will need to be harvested, either by the contractor or Xcel Energy, dependent on timing of the harvest.
2. No wood may be piled within 100 feet of the bypass powerline. Consult with sale administrator prior to harvesting any difficult trees that create a risk of hitting the powerline.
3. Utilization specification is to a 4" top. However, if the County determines that pulpwood markets continue to be very poor at the time of harvest the County will sign a contract amendment with the purchaser changing the utilization specification to a 5" top for selected species. When determining condition of the market, the County will pay particular attention to the amount of wood being purchased by the mills in Wisconsin Rapids and any other significant shifts in wood demand.
4. To comply with Best Management Practices for Invasive Species: Prior to moving equipment onto or off the sale area, scrape or brush soil and debris from exterior surfaces to the extent practical.